



WHEN YOU NEED IT FAST,
WE'VE GOT YOU COVERED.

Quick-Ship **PROGRAM**

In-demand. In-stock. Ready to ship.

DOMESTIC – June 15, 2026

Orders shipped same day if placed before 12 PM (Noon) CT.





When you need equipment shipped sooner than our normal lead times, Hatco's Quick-Ship Program offers over 300 models of our most popular equipment, in various voltages, and accessories ready for immediate shipment (based on availability).

Program Details:

- Orders received before 12 PM (Noon) CT will be shipped the same day.
- Orders received after 12 PM (Noon) CT will be shipped the next business day.
- Standard pricing and discounts apply.
- Orders are shipped with Hatco's preferred LTL carriers (unless specified by the customer), Next Day Air or Expedited Freight (available on most items).
- All orders are subject to credit approval.
- Quantities ordered may impact availability.

How to Order:

1. Confirm models are currently available via the Quick-Ship Program.
2. Provide the model number(s), voltage(s), Hertz and phase. (All watt ratings are nominal; actual wattage may vary. Consult factory for more information.)
3. Specify accessories as required.
4. Reference "Quick-Ship" on your equipment order.
5. Send all equipment orders to equipsales@hatcocorp.com. (E-mail orders are acceptable and do not require confirmation.)

In AutoQuotes:

1. Select **Hatco** in the left-hand tool bar.
2. Select **Category** or **Search** for product keywords.
3. Select **Quick-Ship** under Brands in the left-hand tool bar.
4. Add to your existing project or create a new project.

For additional information, email us at support@hatcocorp.com or call us at (414) 671-6350.

ORDER PICKUP STATIONS & FOOD LOCKERS

Model	Item Number	Voltage/Phase 120/1	Description
Glo-Ray 2-Go® Heated Shelves			
GRS2G-3920-5 [Ⓢ]	GRS2G39205515	\$7107	With (5) Shelves (39" W x 20" D) and (4) 6" Adjustable Flanged Feet, 1757 Watts, NEMA 5-15P

[Ⓢ] Not available for Quick-Ship for Canada.

HEATED WELLS

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 240/1	Description
Dry Soup Wells					
SWC-7QT	SWC7QTC515	\$1429			Countertop, with (1) 7-QT Pan, Clear Coat finish, 425 Watts, NEMA 5-15P
SWC-7QT	SWC7QTB515	1429			Countertop, with (1) 7-QT Pan, Bold Black finish, 425 Watts, NEMA 5-15P
SWC-11QT	SWC11QTC515	1536			Countertop, with (1) 11-QT Pan, Clear Coat finish, 675 Watts, NEMA 5-15P
SWC-11QT	SWC11QTB515	1536			Countertop, with (1) 11-QT Pan, Bold Black finish, 675 Watts, NEMA 5-15P
SWB-7QT	SWB7QT515	1341			Built-in, with (1) 7-QT Pan, 425 Watts, NEMA 5-15P
SWB-11QT	SWB11QT515	1559			Built-in, with (1) 11-QT Pan, 675 Watts, NEMA 5-15P
Countertop Heated Wells – Standard Watt (Hold Only)					
HW-FUL	HW.00001	\$701			With (1) Full-Size Pan and (4) 1" Legs, 1200 Watts, NEMA 5-15P
HW-43	HW.00002	879			With (1) Full-Size Pan and (4) 1" Legs, 1200 Watts, NEMA 5-15P
Countertop Heated Wells – High Watt (Cook & Hold)					
CHW-FUL	CHW.00001	\$798			With (1) Full-Size Pan and (4) 1" Legs, 1200 Watts, NEMA 5-15P
CHW-43*	CHW.00002	923			With (4) Third-Size Pans and (4) 1" Legs, 1800 Watts, NEMA 5-15P
Drop-In Induction Dry Well					
IWELB-FUL-A	IWELBFULA515-N	\$3245			1-Pan Capacity, 720 Watts, NEMA 5-15P
IWELB-FUL-A	IWELBFULA615-N		\$3245		1-Pan Capacity, 720 Watts, NEMA 6-15P
Drop-In Round Uninsulated Heated Wells					
HWB-7QT	HWB7QT120V	\$ 971			7-Quart Pan Capacity, 500 Watts
HWB-7QTD	HWB7QTD120V	1028			7-Quart Pan Capacity, with Drain, 500 Watts
HWB-11QT	HWB11QT120V	971			11-Quart Pan Capacity, 500 Watts
HWB-11QTD	HWB11QTD120V	1028			11-Quart Pan Capacity, with Drain, 500 Watts
HWBH-11QTD	HWBH11QTD120V	1028			High Watt, 11-Quart Pan Capacity, with Drain, 800 Watts

* Canadian model uses NEMA 5-20P (Item Number CHW.00003).

COLD WELLS

Model	Item Number	Voltage/Phase 120/1	Description
Refrigerated Drop-In Wells with R-290 Refrigerant and Drain			
CWBP-2	CWBP2290	\$ 8669	2-Pan Capacity, 345 Watts, NEMA 5-15P
CWBP-3	CWBP3290	9232	3-Pan Capacity, 345 Watts, NEMA 5-15P
CWBP-4	CWBP4290	10045	4-Pan Capacity, 440 Watts, NEMA 5-15P

HEATED SHELVES

Model	Item Number	Voltage/Phase 120/1	Description
Glo-Ray® Portable Rectangular Heated Shelves			
GRS-24-I	GRS24120-1	\$1232	1-Pan Capacity, 24" W x 19½" D, 350 Watts, NEMA 5-15P
GRS-30-I	GRS30120-1	1328	2-Pan Capacity, 30" W x 19½" D, 450 Watts, NEMA 5-15P
GRS-36-I	GRS36120-1	1420	3-Pan Capacity, 36" W x 19½" D, 550 Watts, NEMA 5-15P
GRS-48-I	GRS48120-1	1673	4-Pan Capacity, 48" W x 19½" D, 700 Watts, NEMA 5-15P
Portable Heated Glass Modular Shelf			
HGSM-1P	HGSM.00004	\$1131	1-Pan Capacity, 15¾" W x 23⅝" D, 300 Watts, NEMA 5-15P
HGSM-1P	HGSM.00006	\$1131	1-Pan Capacity, 15¾" W x 23⅝" D, 300 Watts, NEMA 5-15P
Glo-Ray® Built-In Rectangular Recessed Top Aluminum Heated Shelves			
GRSB-24-I	GRSB24120V-1	\$1987	25½" W x 21" D, 550 Watts, NEMA 5-15P
GRSB-30-I	GRSB30120V-1	2117	31½" W x 21" D, 665 Watts, NEMA 5-15P
GRSB-36-I	GRSB36120V-1	2251	37½" W x 21" D, 780 Watts, NEMA 5-15P
GRSB-48-I	GRSB48120V-1	2490	49½" W x 21" D, 1000 Watts, NEMA 5-15P



July 1, 2025

Quick-Ship Model

HEATED SHELVES

Model	Item Number	Voltage/Phase 120/1	Description
Glo-Ray® Built-In Rectangular Flush Top Aluminum Heated Shelves			
GRSBF-24-I	GRSBF24120V-1	\$1987	25½" W x 21"D, 550 Watts, NEMA 5-15P
GRSBF-30-I	GRSBF30120V-1	2117	31½" W x 21" D, 665 Watts, NEMA 5-15P
GRSBF-36-I	GRSBF36120V-1	2251	37½" W x 21" D, 780 Watts, NEMA 5-15P
GRSBF-48-I	GRSBF48120V-1	2490	49½" W x 21" D, 1000 Watts, NEMA 5-15P

STRIP HEATERS

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Description
Glo-Ray® Aluminum Infrared Strip Heaters with Built-In Toggle Switch and Conduit – Standard Watt				
GRA-24	GRA24115T	\$393		24" W, 350 Watts
GRA-36	GRA36115T	447		36" W, 575 Watts
GRA-48	GRA48115T	505		48" W, 800 Watts
GRA-60	GRA60115T	573		60" W, 1050 Watts
Glo-Ray® Aluminum Infrared Strip Heaters with Built-In Toggle Switch and Conduit – High Watt				
GRAH-18	AH18115T	\$382		18" W, 350 Watts
GRAH-24	AH24115T	401		24" W, 500 Watts
GRAH-24	AH24208T		\$401	24" W, 500 Watts
GRAH-30	AH30120T	429		30" W, 660 Watts
GRAH-36	AH36115T	455		36" W, 800 Watts
GRAH-36	AH36208T		455	36" W, 800 Watts
GRAH-42	AH42120T	483		42" W, 950 Watts
GRAH-48	AH48115T	513		48" W, 1100 Watts
GRAH-48	AH48208T		513	48" W, 1100 Watts
GRAH-60	AH60115T	581		60" W, 1440 Watts
GRAH-60	AH60208T		581	60" W, 1440 Watts
GRAH-72	AH72115T	720		72" W, 1725 Watts
GRAH-72	AH72208T		720	72" W, 1725 Watts
Glo-Ray® Aluminum Infrared Strip Heaters with Built-In Infinite Switch and Conduit – High Watt				
GRAH-24	AH24115INF	\$456		24"W, 500 Watts
GRAH-36	AH36115INF	510		36" W, 800 Watts
GRAH-48	AH48115INF	568		48" W, 1100 Watts
Glo-Ray® Aluminum Infrared Strip Heaters with Lights, Built-In Toggle Switch, and Conduit – High Watt				
GRAHL-24	GRAHL24115T	\$627		With (2) Incandescent Light Bulbs, 24" W, 620 Watts
GRAHL-36	GRAHL36115T	766		With (3) Incandescent Light Bulbs, 36" W, 980 Watts
GRAHL-48	GRAHL48115T	912		With (4) Incandescent Light Bulbs, 48" W, 1340 Watts
Glo-Ray® Aluminum Infrared Strip Heaters with Built-In Toggle Switch, (2) S-Hooks, (2) 6" Chains, and Attached Cord & Plug – Standard Watt				
GRA-24	GRA24120TCCS	\$452		24" W, 350 Watts, NEMA 5-15P
GRA-36	GRA36120TCCS	506		36" W, 575 Watts, NEMA 5-15P
GRA-48	GRA48120TCCS	564		48" W, 800 Watts, NEMA 5-15P
GRA-60	GRA60120TCCS	632		60" W, 1050 Watts, NEMA 5-15P
Glo-Ray® Aluminum Infrared Strip Heaters with Built-In Toggle Switch, (2) S-Hooks, (2) 6" Chains, and Attached Cord & Plug – High Watt				
GRAH-18	AH18120TCCS	\$441		18" W, 350 Watts, NEMA 5-15P
GRAH-24	AH24120TCCS	460		24" W, 500 Watts, NEMA 5-15P
GRAH-30	AH30120TCCS	488		30" W, 660 Watts, NEMA 5-15P
GRAH-36	AH36120TCCS	514		36" W, 800 Watts, NEMA 5-15P
GRAH-42	AH42120TCCS	542		42" W, 950 Watts, NEMA 5-15P
GRAH-48	AH48120TCCS	572		48" W, 1100 Watts, NEMA 5-15P
GRAH-60	AH60120TCCS	640		60" W, 1400 Watts, NEMA 5-15P
GRAH-72®	AH72120TCCS.1	779		72" W, 1725 Watts, NEMA 5-15P
Glo-Ray® Aluminum Infrared Strip Heaters with Built-In Infinite Switch, (2) S-Hooks, (2) 6" Chains, and Attached Cord & Plug – High Watt				
GRAH-24	AH24120ICCS	\$515		24" W, 500 Watts, NEMA 5-15P
GRAH-36	AH36120ICCS	569		36" W, 800 Watts, NEMA 5-15P
GRAH-48	AH48120ICCS	627		48" W, 1100 Watts, NEMA 5-15P
GRAH-60	AH60120ICCS	695		60" W, 1400 Watts, NEMA 5-15P
Glo-Ray® Dual Aluminum Infrared Strip Heaters with Built-In Toggle Switch, 3" Spacer, and Conduit – High Watt				
GRAH-24D	GRAH24D120V	\$ 983		24" W, 1000 Watts
GRAH-36D	GRAH36D120V	1190		36" W, 1600 Watts
GRAH-48D	GRAH48D120V	1395		48" W, 2200 Watts
Glo-Ray® Dual Aluminum Infrared Strip Heaters with Lights, Built-In Toggle Switch, 3" Spacer, and Conduit – High Watt				
GRAHL-24D	AHL24D120V	\$1080		24" W, 1120 Watts
GRAHL-36D	AHL36D120V	1330		36" W, 1780 Watts
GRAHL-48D	AHL48D120V	1592		48" W, 2440 Watts
Accessories				
QSANGLE		\$33		(1) Pair of Adjustable Angle Brackets (Single models only)
QSANGLE-D		67		(2) Pairs of Adjustable Angle Brackets (Dual models only)

® Not available for Canada.

DECORATIVE LAMPS

Model	Item Number	Voltage/Phase 120/1	Description
DL-500-RCTL	DL500RCTLBB-BK	\$1140	Bold Black Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
DL-500-RCTL	DL500RCTLBRNBK	1351	Bright Nickel Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
DL-775-RCTL	DL775RCTLBB-BK	1184	Bold Black Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
DL-775-RCTL	DL775RCTLBRNBK	1184	Bright Nickel Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
Accessories			
DL-TRACK-4B		\$324	(1) 4' Track Mount Bar – Black
DL-TRACK-4W		324	(1) 4' Track Mount Bar – White
DL-TRACK-8B		488	(2) 4' Track Mount Bars with Couplers – Black
DL-TRACK-8W		488	(2) 4' Track Mount Bars with Couplers – White
DL-TRACK-12B		692	(3) 4' Track Mount Bars with Couplers – Black
DL-TRACK-12W		692	(3) 4' Track Mount Bars with Couplers – White
DL-TRACK-16B		855	(4) 4' Track Mount Bars with Couplers – Black
DL-TRACK-16W		855	(4) 4' Track Mount Bars with Couplers – White
DL-TRACKBLK		130	Track Installation and Modification Kit [includes Ceiling Plate, Live End Fitting and Cover (Starter) and Dead End Fitting] – Black
DL-TRACKWHT		130	Track Installation and Modification Kit [includes Ceiling Plate, Live End Fitting and Cover (Starter) and Dead End Fitting] – White
DL-SWITCH-16AMP		25	16 Amp Lamp Toggle Switch
WHITE-CTD-120L		18	120V, 40 Watt Clear Coated Bulb (Luminaire models only)
WHITE-UCTD-120		30	120V, 250 Watt Clear Uncoated Bulb
WHITE-UCTD-120H		54	120V, 375 Watt Clear Uncoated Bulb (High watt models only)
WHITE-CTD-120		43	120V, 250 Watt Clear Coated Bulb
WHITE-CTD-120H		70	120V, 375 Watt Clear Coated Bulb (High watt models only)
RED-UCTD-120		42	120V, 250 Watt Red Uncoated Bulb
RED-CTD-120		54	120V, 250 Watt Red Coated Bulb

DISPLAY LIGHTS

Model	Item Number	Voltage/Phase 120/1	Description
HL-48	HL48120T	\$669	With Built-In Toggle Switch and (5) Incandescent Light Bulbs, 48" W, 300 Watts
HL-60	HL60120T	766	With Built-In Toggle Switch and (5) Incandescent Light Bulbs, 60" W, 300 Watts

FRY STATIONS

Model	Item Number	Voltage/Phase 120/1	Description
Glo-Ray® Portable Fry Holding Stations			
GRFHS-16	GRFHS16	\$3901	With Built-In Toggle Switch, Bottom Trivet and Sectional Divider, 1090 Watts, NEMA 5-15P
GRFHS-21	GRFHS21	4303	With Built-In Toggle Switch, Bottom Trivet and Sectional Divider, 1200 Watts, NEMA 5-15P
GRFHS-26	GRFHS26	4406	With Built-In Toggle Switch, Bottom Trivet and Sectional Divider, 1200 Watts, NEMA 5-15P
Glo-Ray® Portable Foodwarmers – Metal Sheathed Heating Element			
GRFF	GRFF115T	\$ 768	With Built-In Toggle Switch, 500 Watts, NEMA 5-15P
GRFFL	GRFFL120T	987	With Built-In Toggle Switch and (2) Incandescent Lights, 620 Watts, NEMA 5-15P
GRFFB	GRFFB115T	1263	With Built-In Toggle Switch and Heated Base, 750 Watts, NEMA 5-15P
Ultra-Glo® Portable Foodwarmers – Ceramic Heating Element			
UGFF	GRFFC18115T	\$ 962	With Built-In Toggle Switch, 750 Watts, NEMA 5-15P
UGFFL	GRFFCL18120T	1186	With Built-In Toggle Switch and (2) Incandescent Lights, 870 Watts, NEMA 5-15P
UGFFB	FFBC18120T	1448	With Built-In Toggle Switch and Heated Base, 1000 Watts, NEMA 5-15P
UGFFBL	FFBCL18120T	1678	With Built-In Toggle Switch, Heated Base and (2) Incandescent Lights, 1120 Watts, NEMA 5-15P
Lamp Warmer			
LW-2	LW2-2	\$934	In Designer Gray Granite, with (2) Incandescent Light Bulbs, 500 Watts, NEMA 5-15P

**CARVING STATIONS & BUFFET WARMERS**

Model	Item Number	Voltage/Phase 120/1	Description
Glo-Ray® Buffet Warmers			
GRBW-24	GRBW24120V	\$2490	With (2) Incandescent Light Bulbs, 1-Pan Capacity, 24" W, 970 Watts, NEMA 5-15P
GRBW-36	GRBW36120V	3022	With (3) Incandescent Light Bulbs, 2-Pan Capacity, 36" W, 1530 Watts, NEMA 5-15P
GRBW-48®	GRBW48120V	3554	With (4) Incandescent Light Bulbs, 3-Pan Capacity, 2040 Watts, NEMA 5-20P

® Not available for Canada.

DRAWER WARMERS

Model	Item Number	Voltage/Phase 120/1	Description
Freestanding with 4" Plastic Legs			
HDW-1	HDW1-120V-TN	\$3255	With (1) Drawer and (1) 6" Deep Pan, 450 Watts, NEMA 5-15P
HDW-2	HDW2-120V-TN	5525	With (2) Drawers and (2) 6" Deep Pans, 900 Watts, NEMA 5-15P
HDW-3	HDW3-120V-TN	7802	With (3) Drawers and (3) 6" Deep Pans, 1350 Watts, NEMA 5-15P
Built-In			
HDW-2B	HDW2B-120V-TN	5293	With (2) Drawers and (2) 6" Deep Pans, 900 Watts

MERCHANDISERS & DISPLAY CASES

Model	Item Number	Voltage/Phase 120/1	Description
Glo-Ray® Merchandising Warmers – Slanted Shelves			
GRSDS-24	GRSDS24120-1	\$4369	With (1) Shelf, (2) Incandescent Light Bulbs and (5) Divider Rods, 24" W x 24¼" D, 695 Watts, NEMA 5-15P
GRSDS-30D *	GRSDS30D120	7246	With (2) Shelves, (4) Incandescent Light Bulbs and (12) Divider Rods, 30" W x 24¼" D, 1530 Watts, NEMA 5-15P
GRSDS-36D	GRSDSD36120-1	7719	With (2) Shelves, (4) Incandescent Light Bulbs and (14) Divider Rods, 36" W x 24¼" D, 1810 Watts, NEMA 5-20P
Glo-Ray® Designer Merchandising Warmers – Slanted Shelves			
GR2SDS-24D	GR2SDS24D515P	\$8127	With (2) Shelves, (4) Incandescent Light Bulbs and (10) Divider Rods, 30¼" W x 26¾" D, 1355 Watts, NEMA 5-15P
GR2SDS-30D	GR2SDS30DL1420P	8700	With (2) Shelves, (4) Incandescent Light Bulbs and (12) Divider Rods, 36¼" W x 26¾" D, 1530 Watts, NEMA L14-20P
GR2SDS-36D	GR2SDS36DL1420P	9249	With (2) Shelves, (4) Incandescent Light Bulbs and (14) Divider Rods, 42¼" W x 26¾" D, 1810 Watts, NEMA L14-20P
Glo-Ray® Designer Heated Display Cases			
GRCD-3PD	GRCD3PD120V	\$ 9277	With (2) Shelves and (6) Incandescent Light Bulbs, 3-Pan Capacity, 45½" W x 26" D, 1710 Watts, NEMA 5-15P
GRCDH-3PD	GRCDH3PD120V	10143	Humidified, with (2) Shelves and (6) Incandescent Light Bulbs, 3-Pan Capacity, 45½" W x 26" D, 1960 Watts, NEMA 5-20P
Glo-Ray® Heated Display Cases			
GRHD-3PD	GRHD3PD120V	\$8173	With (2) Shelves and (8) Incandescent Light Bulbs, 3-Pan Capacity, 45½" W x 26" D, 1755 Watts, NEMA 5-15P
Flav-R-Fresh® Humidified Impulse Display Cabinets			
FDWD-1	FDWD1	\$4783	With (1) Door and (1) Motorized 4-Tier Revolving Circle Rack, 1360 Watts, NEMA 5-15P
FDWD-1X	FDWD1X	4635	With (1) Door and (1) 4-Shelf Multi-Purpose Rack, 1360 Watts, NEMA 5-15P
FDWD-2	FDWD2	4933	With (2) Doors and (1) Motorized 4-Tier Revolving Circle Rack, 1360 Watts, NEMA 5-15P
Flav-R-Savor® Humidified Holding & Display Cabinets			
FSD-1	FSD1-1	\$5786	With (1) Door and (1) Motorized 3-Tier Revolving Circle Rack, 27¾"H, 1414 Watts, NEMA 5-15P
FSD-1X	FSD1X-1	5612	With (1) Door and (1) 3-Tier Pan Rack, 27¾"H, 1414 Watts, NEMA 5-15P
FSDT-1	FSDT1-1	5884	With (1) Door and (1) Motorized 4-Tier Revolving Circle Rack, 32¾" H, 1414 Watts, NEMA 5-15P
FSDT-1X	FSDT1X-1	5653	With (1) Door and (1) 4-Tier Pan Rack, 32¾" H, 1414 Watts, NEMA 5-15P
FSDT-2	FSDT2-1	6350	With (2) Doors and (1) Motorized 4-Tier Revolving Circle Rack, 32¾" H, 1414 Watts, NEMA 5-15P
FSDT-2X	FSDT2X-1	6124	With (2) Doors and (1) 4-Tier Pan Rack, 32¾" H, 1414 Watts, NEMA 5-15P

* Canadian model uses NEMA 5-20P.

■ Canadian model uses NEMA 5-30P.

HOLDING & DISPLAY CABINETS

Model	Item Number	Voltage/Phase 120/1	Description
Flav-R-Savor® Humidified Holding Cabinets			
FSHC-6W1	FSHC-6W1	\$ 8155	With (1) Door and 4" Diameter Casters, 6-Pan Capacity, 1697 Watts, NEMA 5-15P
FSHC-7-1	FSHC7-1	8229	With (1) Door and 4" Diameter Casters, 7-Pan Capacity, 1697 Watts, NEMA 5-15P
FSHC-17W1 *	FSHC-17W1	13311	With (1) Lexan® Door and 5" Diameter Casters, 17-Pan Capacity, 1650 Watts, NEMA 5-15P
FSHC-17W1D *	FSHC-17W1D	14321	Single Opening, with (2) Dutch Doors and 5" Diameter Casters, 17-Pan Capacity, 1650 Watts, NEMA 5-15P
Plate Warmers			
PWC-12	PWC.12BLK515	\$2455	Countertop, in <i>Designer</i> Black, 460 Watts, NEMA 5-15P
PWC-12	PWC.12SS515	2455	Countertop, in Stainless Steel, 460 Watts, NEMA 5-15P
PWB-12	PWB.12BLK515	2220	Built-In, in <i>Designer</i> Black, 460 Watts, NEMA 5-15P
PWB-12	PWB.12SS515	2220	Built-In, in Stainless Steel, 460 Watts, NEMA 5-15P

* Canadian models use NEMA 5-20P.

TOASTERS

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 240/1	Description
Pop-Up Toasters					
TPT-120[△]	TPT3.120	\$617			In Stainless Steel, with (4) Self-Centering 1¼" Wide Slots, 1800 Watts, NEMA 5-15P
TPT-120[△]	TPT120.BB515	768			In Bold Black Gloss finish, with (4) Self-Centering 1¼" Wide Slots, 1800 Watts, NEMA 5-15P
TPT-120[△]	TPT120.RR515	768			In Radiant Red Gloss finish, with (4) Self-Centering 1¼" Wide Slots, 1800 Watts, NEMA 5-15P
TPT-208[▽]	TPT3.208		\$1064		In Stainless Steel, with Selector Switch and (4) Self-Centering 1¼" Wide Slots, 2600 Watts, NEMA 6-15P
TPT-240	TPT3.240			\$1064	In Stainless Steel, with Selector Switch and (4) Self-Centering 1¼" Wide Slots, 2600 Watts, NEMA 6-15P
Toast-Qwik® Horizontal Conveyor Toasters (Third Generation)					
TQ3-10	TQ310120BK515	\$1716			In <i>Designer</i> Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 5-15P
TQ3-10	TQ310120BK520	1716			In <i>Designer</i> Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 5-20P
TQ3-10	TQ310208BK615		\$1716		In <i>Designer</i> Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 6-15P
TQ3-10	TQ310240BK615			\$1716	In <i>Designer</i> Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 6-15P
TQ3-20	TQ320208B615		4526		In <i>Designer</i> Black, Programmable, 11-Slice per Minute Capacity, 2470 Watts, NEMA 6-15P
TQ3-20H	TQ320H208B620		4567		In <i>Designer</i> Black, Programmable, 11-Slice per Minute Capacity, 2620 Watts, NEMA 6-20P
TQ3-400	TQ3400120B515	3208			In <i>Designer</i> Black, Programmable, 6-Slice per Minute Capacity, 1780 Watts, NEMA 5-15P
TQ3-900	TQ3900208B620		3652		In <i>Designer</i> Black, Programmable, 15-Slice per Minute Capacity, 3020 Watts, NEMA 6-20P
TQ3-900H	TQ3900H208B620		3652		In <i>Designer</i> Black, Programmable, 6-Slice per Minute Capacity, 3" H Opening, 3020 Watts, NEMA 6-20P
Toast-Qwik® Horizontal Conveyor Toasters (Second Generation)					
TQ-10	TQ10120	\$2108			5-Slice per Minute Capacity, 1800 Watts, NEMA 5-15P
TQ-10	TQ10208		\$2108		5-Slice per Minute Capacity, 1800 Watts, NEMA 6-15P
TQ-400	TQ400120	3290			6-Slice per Minute Capacity, 1800 Watts, NEMA 5-15P
TQ-400	TQ400208		3290		6-Slice per Minute Capacity, 2200 Watts, NEMA 6-15P
TQ-400H	TQ400H208		3290		6-Slice per Minute Capacity, 3" H Opening, 2200 Watts, NEMA 6-15P
TQ-800	TQ800208		3751		14-Slice per Minute Capacity, 3300 Watts, NEMA 6-20P
TQ-800H	TQ800H208		3751		14-Slice per Minute Capacity, 3" H Opening, 3300 Watts, NEMA 6-20P
TQ-800HBA	TQ800HBA208		3751		14-Slice per Minute Capacity, Bagels or Buns, 3" H Opening, 3300 Watts, NEMA 6-20P
TQ-1800	TQ1800208		4672		30-Slice per Minute Capacity, 4400 Watts, NEMA 6-30P
TQ-1800H	TQ1800H208		4672		30-Slice per Minute Capacity, 3" H Opening, 4400 Watts, NEMA 6-30P

△ Canadian models are 1400 Watts.

▽ Canadian models use NEMA 6-30P.



July 1, 2025

Quick-Ship Model

TOASTERS

Model	Item Number	Voltage/Phase 208/1	Voltage/Phase 240/1	Description
Toast King® Vertical Conveyor Toasters				
TK-72	TK72208	\$5848		12-Slice per Minute Capacity, 4038 Watts, NEMA 6-20P
TK-100	TK100208	6256		16-Slice per Minute Capacity, 5038 Watts, NEMA 6-30P
TK-100	TK100230		\$6256	16-Slice per Minute Capacity, 5038 Watts, NEMA 6-30P

INDUCTION RANGES & WARMERS

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 240/1	Description
Countertop Induction Woks					
IRNG-WOKC-18	IRNGWOKC18515P	\$5100			(1) Hob, 1800W, NEMA 5-15P
IRNG-WOKC-18	IRNGWOKC18520P	5100			(1) Hob, 1800W, NEMA 5-20P
IRNG-WOKC-30	IRNGWOKC30620P		\$5100	\$5100	(1) Hob, 3000W, NEMA 6-20P
Drop-In Induction Woks					
IRNG-WOKB-18	IRNGWOKB18515P	\$3634			(1) Hob, 1800W, NEMA 5-15P
IRNG-WOKB-18	IRNGWOKB18520P	3634			(1) Hob, 1800W, NEMA 5-20P
IRNG-WOKB-30	IRNGWOKB30620P		\$3634	\$3634	(1) Hob, 3000W, NEMA 6-20P
Boxer® Countertop Induction Ranges					
IRNG-BXC1-14	IRNGBXC114515	\$1423			(1) Hob, 1440W, NEMA 5-15P
IRNG-BXC1-18®	IRNGBXC118515	1423			(1) Hob, 1800W, NEMA 5-15P
Rapide Cuisine® Countertop Heavy-Duty Induction Ranges					
IRNG-HC1-14	IRNGHC114SB515	\$1793			(1) Hob, 1440W, NEMA 5-15P
IRNG-HC1-18®	IRNGHC118SB515	1793			(1) Hob, 1800W, NEMA 5-15P
Rapide Cuisine® Countertop Programmable Induction Ranges					
IRNG-PC1-14	IRNGPC114SB515	\$1647			(1) Hob, in Stainless Steel and Bold Black, 1440W, NEMA 5-15P
IRNG-PC1-18®	IRNGPC118SB515	1647			(1) Hob, in Stainless Steel and Bold Black, 1800W, NEMA 5-15P
IRNG-PC1-18®	IRNGPC118BB515	1647			(1) Hob, in Bold Black, 1800W, NEMA 5-15P
Rapide Cuisine® Drop-In Programmable Induction Ranges					
IRNG-PB1-14	IRNGPB114515	\$1793			(1) Hob, 1440W, NEMA 5-15P
IRNG-PB1-18®	IRNGPB118515	1793			(1) Hob, 1800W, NEMA 5-15P
IRNG-PB1-18	IRNGPB118520	1793			(1) Hob, 1800W, NEMA 5-20P
Rapide Cuisine® Countertop Programmable High-Powered/Heavy-Duty Induction Range					
IRNG-PC1-36	IRNGPC136SB620		\$2617	\$2617	(1) Hob, 3120-3600 Watts, NEMA 6-20P
Rapide Cuisine® Drop-In Programmable High-Powered/Heavy-Duty Induction Range					
IRNG-PB1-36	IRNGPB136SB620		\$2761	\$2761	(1) Hob, 3120-3600 Watts, NEMA 6-20P
Rapide Cuisine® Countertop Programmable High-Powered/Heavy-Duty Dual Induction Ranges					
IRNG-PC2F-29	IRNGPC2F29630		\$5122	\$5122	(2) Hobs Front-to-Back, 2496-3600 Watts per Coil, NEMA 6-30P
IRNG-PC2F-36	IRNGPC2F36650		5688	5688	(2) Hobs Front-to-Back, 3120-3600 Watts per Coil, NEMA 6-50P
IRNG-PC2F-24-IA	IRNGPC2F24IA620		5379	5379	(2) Hobs Front-to-Back with Input Averaging, 1803/2400 Watts per Coil, NEMA 6-20P
IRNG-PC2F-36-IA	IRNGPC2F36IA630		5973	5973	(2) Hobs Front-to-Back with Input Averaging, 3120/3600 Watts per Coil, NEMA 6-30P
IRNG-PC2S-29	IRNGPC2S29630		5122	5122	(2) Hobs Side-to-Side, 2496-2880 Watts per Coil, NEMA 6-30P
IRNG-PC2S-36	IRNGPC2S36650		5688	5688	(2) Hobs Side-to-Side, 3120-3600 Watts per Coil, NEMA 6-50P
IRNG-PC2S-24-IA	IRNGPC2S24IA620		5379	5379	(2) Hobs Side-to-Side with Input Averaging, 1803/2400 Watts per Coil, NEMA 6-20P
IRNG-PC2S-36-IA	IRNGPC2S36IA630		5973	5973	(2) Hobs Side-to-Side with Input Averaging, 3120/3600 Watts per Coil, NEMA 6-20P
Rapide Cuisine® Drop-In Programmable High-Powered/Heavy-Duty Dual Induction Ranges					
IRNG-PB2-29	IRNGPB229630		\$4804	\$4804	(2) Hobs, 2496-2880 Watts per Coil, NEMA 6-30P
IRNG-PB2-36	IRNGPB236650		5038	5038	(2) Hobs, 3120-3600 Watts per Coil, NEMA 6-50P
IRNG-PB2-24-IA	IRNGPB224IA620		5045	5045	(2) Hobs with Input Averaging, 1803/2400 Watts per Coil, NEMA 6-20P
IRNG-PB2-36-IA	IRNGPB236IA630		5292	5292	(2) Hobs with Input Averaging, 3120/3600 Watts per Coil, NEMA 6-30P
Palletti® Countertop Induction Warmers					
IWRM-C1-1317-06	IWRMC113176B515	\$1280			600 Watts, NEMA 5-15P
IWRM-CD1-03	IWRMCD13B515	1422			360 Watts, NEMA 5-15P
Palletti® Drop-In Induction Warmers					
IWRM-B1-1313-06	IWRMB113136B515	1280			With Black Glass-Ceramic Top, 600 Watts, NEMA 5-15P
IWRM-B1-1313-06	IWRMB113136W515	1280			With White Glass-Ceramic Top, 600 Watts, NEMA 5-15P
Maskerade® Undercounter Induction Warmer					
IWRM-UT-05	IWRMBUT5515	\$2065			With Slip-Resistant Trivet, 500 Watts, NEMA 5-15P

* Not available for Canada.

LIGHT COOKING EQUIPMENT

Model	Item Number	Voltage/Phase 120/1	Description
Panini Grills			
PG14G-1	PG14G1515	\$2031	With Grooved Top and Bottom Plates, 1800 Watts, NEMA 5-15P
PG14F-1	PG14F1515	2031	With Flat Top and Bottom Plates, 1800 Watts, NEMA 5-15P
PG14FG-1	PG14FG1515	2031	With Grooved Top and Flat Bottom Plates, 1800 Watts, NEMA 5-15P

LIGHT COOKING EQUIPMENT

Model	Item Number	Voltage/Phase 120/1	Description
Snack Systems			
SNACK-1	SNACK1.515	\$2069	With (1) Set of Round Belgian Waffle Plates, 900 Watts, NEMA 5-15P
SNACK-2	SNACK2.515	3352	With (2) Sets of Round Belgian Waffle Plates, 1800 Watts, NEMA 5-15P
SNACK-2	SNACK2.520	3352	With (2) Sets of Round Belgian Waffle Plates, 1800 Watts, NEMA 5-20P
Accessories			
FREESTYLE		\$345	(1) Set of Freestyle Plates
BELGIAN		345	(1) Set of Belgian Waffle Plates
COFFEEBEAN		345	(1) Set of Coffee Bean Plates
SANDWICH		345	(1) Set of Sandwich Plates
PANINI		345	(1) Set of Panini Plates
DONUT		345	(1) Set of Donut Plates
CHELKY		345	(1) Set of Chelky Plates
HEART WAFFLE		345	(1) Set of Norwegian Waffle Plates
WM-BRUSH		24	Nylon Brush
WAF-FORK		9	Waffle Fork
Round Waffle Makers			
RWM-1	RWM1.515	\$1220	(1) Set of Standard Waffle Plates, 900 Watts, NEMA 5-15P
RWM-1B	RWM1B.515	1220	(1) Set of Belgian Waffle Plates, 900 Watts, NEMA 5-15P
RWM-2	RWM2.515	2124	(2) Sets of Standard Waffle Plates, 1800 Watts, NEMA 5-15P
RWM-2	RWM2.520	2124	(2) Sets of Standard Waffle Plates, 1800 Watts, NEMA 5-20P
RWM-2B	RWM2B.515	2124	(2) Sets of Belgian Waffle Plates, 1800 Watts, NEMA 5-15P
RWM-2B	RWM2B.520	2124	(2) Sets of Belgian Waffle Plates, 1800 Watts, NEMA 5-20P
Flip Waffle Maker			
FWM-1B	FWM1B.515	\$2663	(1) Set of Belgian Waffle Plates, 1350 Watts, NEMA 5-15P
Accessories			
MINI-WAFFLE		\$107	(1) Set of Mini Belgian Waffle Plates
WM-BRUSH		24	Nylon Brush
WAF-FORK		9	Waffle Fork

WATER HEATING & SPECIALTY EQUIPMENT

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 208/3	Voltage/Phase 240/1	Voltage/Phase 240/3	Voltage/Phase 480/3
Atmospheric Water Dispenser							
AWD-12	AWD12208630P		\$6830				
Electric Sanitizing Sink Heaters							
3CS-6*	3CS620813		\$3361	\$3361			
3CS-6*	3CS624013				\$3361	\$3361	
3CS-9*	3CS920813		3481	3481			
3CS-9*	3CS924013				3481	3481	
3CS-9*	3CS948013						\$3481
Electric Food Rethernalizers / Bain-Maries							
FR-4*	FR42081W/O		\$3036				
FR-6*	FR620813W/O		3351	\$3351			
FR-9*	FR920813W/O		3431	3431			
FR-9*	FR924013W/O				\$3431	\$3431	
Powermite® Gas Booster Water Heaters (Quick-Ship models are manufactured with Orifice Kits up to 2000 foot elevation)							
PMG-100	PMG100120NAT	\$19696					
PMG-200	PMG200120NAT	23361					
Compact Electric Booster Water Heaters with Legs							
C-4	C42081LE		\$4511				
C-5	C52081LE		4571				
C-6*	C620813LE		4651	\$4651			
C-6*	C624013LE				\$4651	\$4651	
C-7*	C720813LE		4716	4716			
C-7*	C724013LE				4716	4716	
C-9*	C920813LE		4766	4766			

* Open delta, single or three phase.

• Without low-water cut-off.



July 1, 2025

Quick-Ship Model

WATER HEATING & SPECIALTY EQUIPMENT

C-9*	C924013LE			4766	4766		
C-12	C122081LE	5041					
C-12	C122083LE		5041				
C-12	C122401LE			5041			
C-12	C122403LE				5041		
C-12	C124803LE					5041	
C-15	C152081LE	5141					\$5041
C-15	C152083LE		5141				

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 208/3	Voltage/Phase 240/1	Voltage/Phase 240/3	Voltage/Phase 480/3
-------	-------------	------------------------	------------------------	------------------------	------------------------	------------------------	------------------------

Compact Electric Booster Water Heaters with Legs

C-15	C152401LE				\$5141		
C-15	C152403LE					\$5141	
C-15	C154803LE						\$5141
C-17	C172083LE			\$5176			
C-24	C242083LE			6941			
C-27	C272083LE			7046			
C-27	C272403LE					7046	
C-27	C274803LE						7046
C-30	C302083LE			7111			
C-30	C302403LE					7111	
C-30	C304803LE						7111
C-36	C362083LE			7436			
C-36	C362403LE					7436	
C-36	C364803LE						7436
C-45	C452083LE			8426			
C-45	C452403LE					8426	
C-45	C454803LE						8426
C-54	C542083LE			\$8656			
C-54	C542403LE					\$8656	
C-54	C544803LE						\$8656
C-57	C572083LE			8831			
C-57	C572403LE					8831	
C-57	C574803LE						8831

Imperial Electric Booster Water Heaters with Legs

S-12	S122083LE			\$7046			
S-15	S152083LE			7111			
S-36	S362083LE			9006			
S-36	S364803LE						\$9006
S-45	S452083LE			9566			
S-45	S454803LE						9566
S-54	S542083LE			9591			
S-54	S544803LE						9591

Accessories

QSFLOORMOUNT	\$438	Additional Stainless Steel Floor Mounting Leg Assembly
QSBPRV	252	Back Pressure Relief Valve
QSPRVB	247	Additional Brass Pressure Reducing Valve with Bypass
QSSSA-LEGS	281	Additional Stainless Steel Adjustable Legs (6" to 7")
QSWATERTREAT	1131	Blended Phosphate Injection System (not for potable water use)
QSSHOCK	161	Shock Absorber to reduce water hammer
QSB00STERBRKT	99	Additional Slide Brackets (for Compact models only)

* Open delta, single or three phase.



People who serve, products that solve.™



Hatco

P.O. Box 340500 | Milwaukee, WI 53234-0500 USA

414-671-6350

www.hatcocorp.com | support@hatcocorp.com

Follow us on:



Form No. Domestic Quick-Ship Program | July 2025